



Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 23-Aug-2018

Version 4

1. IDENTIFICATION

Product Identifier

Product Name Slide Quick Paintable Mold Release

Other means of identification

SDS # 44712E

Product Code 44712E

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address

Slide Products Inc.
430 S. Wheeling Road
Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220

Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, oily, colorless liquid

Physical State Aerosol

Odor Slight odor

Classification

| | |
|--|----------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable Aerosols | Category 2 |
| Gases Under Pressure | Compressed Gas |

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May damage fertility or the unborn child
May cause respiratory irritation. May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure
Flammable Aerosol
Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Wear eye/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Keep away from heat/sparks/open flames/hot surfaces. –No Smoking
 Do not spray on an open flame or other ignition source
 Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash it before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|--------------------------|---------------|-----------------|
| Dimethyl ether | 115-10-6 | 65-75 |
| 1-bromopropane | 106-94-5 | 25-35 |
| Paintable Silicone Fluid | Proprietary | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.

Skin Contact

Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/ attention.

| | |
|-------------------|---|
| Inhalation | Remove to fresh air. Oxygen or artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell. |
| Ingestion | Do not induce vomiting. If conscious, give 1 glass of water or milk to dilute. Call a physician or poison control center immediately. |

Most important symptoms and effects

| | |
|-----------------|---|
| Symptoms | Causes skin irritation. Causes serious eye irritation. Concentrated spray may cause freezing of skin area. Skin contact can lead to drying, defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Irritating to mouth, throat, and stomach if ingested. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Pressurized container: May burst if heated. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Carbon oxides. Hydrogen bromide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

| | |
|----------------------------------|--|
| Personal Precautions | Use personal protective equipment as required. |
| Environmental Precautions | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for Containment | Remove all sources of ignition. |
| Methods for Clean-Up | Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE**Precautions for safe handling**

| | |
|--------------------------------|---|
| Advice on Safe Handling | Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not smoke. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not drop, puncture, or incinerate. Do not spray on floors. |
|--------------------------------|---|

Conditions for safe storage, including any incompatibilities

| | |
|-------------------------------|---|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. |
| Incompatible Materials | Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|-------------|----------|------------|
| 1-bromopropane 106-94-5 | TWA: 10 ppm | - | - |

Appropriate engineering controls

| | |
|-----------------------------|---|
| Engineering Controls | Apply technical measures to comply with the occupational exposure limits. |
|-----------------------------|---|

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|--|
| Eye/Face Protection | Safety glasses. |
| Skin and Body Protection | Wear suitable protective clothing. |
| Respiratory Protection | Ensure adequate ventilation, especially in confined areas. |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | | | |
|-------------------------------------|-------------------------------|-------------------------|----------------|
| Physical State | Aerosol | Odor | Slight odor |
| Appearance | Clear, oily, colorless liquid | Odor Threshold | Not determined |
| Color | Clear Colorless | Remarks • Method | |
| Property | Values | | |
| pH | Not determined | | |
| Melting Point/Freezing Point | < -45 °C / <-50 °F | | |
| Boiling Point/Boiling Range | Not available | | |
| Flash Point | Not available | | |
| Evaporation Rate | Not available | | |
| Flammability (Solid, Gas) | Non-flammable aerosol | | |
| Upper Flammability Limits | Not determined | | |
| Lower Flammability Limit | Not determined | | |
| Vapor Pressure | 139 mmHg @ 70°F | | |
| Vapor Density | Not available | | |
| Specific Gravity | 0.78 | (Water = 1) | |
| Water Solubility | Not soluble | | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Auto-ignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Not determined | | |
| Explosive Properties | Not determined | | |
| Oxidizing Properties | Not determined | | |
| Bulk Density | 6.52 lb/gal @ 60°F | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Do not puncture or incinerate cans. High heat or open flames.

Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

Hazardous Decomposition Products

Carbon oxides. Hydrogen bromide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|----------------------|---------------------|---------------------------------------|
| Dimethyl ether 115-10-6 | - | - | = 308.5 mg/L (Rat) 4 h |
| 1-bromopropane 106-94-5 | = 3600 mg/kg (Rat) | - | = 253 g/m ³ (Rat) 30 min |
| Polydimethylsiloxane 63148-62-9 | > 17 g/kg (Rat) | > 2 g/kg (Rabbit) | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|----------------------------|----------------------|--|----------------------------|-----------|
| 1-bromopropane 106-94-5 | | 67.3: 96 h Pimephales promelas mg/L LC50 flow- through | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|----------------------------|-----------------------|
| Dimethyl ether 115-10-6 | -0.18 |
| 1-bromopropane 106-94-5 | 2.1 |

Other Adverse Effects

Not determined

Ozone

Contains no ozone depleting chemicals

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

DOT**UN/ID No**

(each not exceeding 1 L capacity)

Proper Shipping Name

UN1950

Hazard Class

Aerosols

2.1

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols, non-flammable
Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Marine Pollutant This material may meet the definition of a marine pollutant

| |
|-----------------------------------|
| 15. REGULATORY INFORMATION |
|-----------------------------------|

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|----------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Dimethyl ether | Present | X | | Present | | Present | X | Present | X | X |
| 1-bromopropane | Present | X | | Present | | Present | X | Present | X | X |
| Polydimethylsiloxane | Present | X | | | | Present | X | Present | X | X |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|---------------------------|---|
| 1-bromopropane - 106-94-5 | Developmental Female Reproductive Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Dimethyl ether 115-10-6 | X | X | X |
| 1-bromopropane 106-94-5 | X | X | X |

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

2

0

B

Issue Date:

01-Sep-2012

Revision Date:

23-Aug-2018

Revision Note:

Regulatory Update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet